


ASSA ABLOY DC300



Tootekirjeldus

Door closer can be integrated concealed mounting plate, suitable for fire and smoke protection doors.

Features:

- Color: silver
- Certified in compliance with EN 1154, size 3-6
- Axis height adjustable up to 14 mm
- Operating temperature: +45°C to -35°C
- Opening angle up to 180°
- Closing speed, latching speed and backcheck adjustable via front facing regulating valves
- Thermodynamic valves for consistent performance
- Variable adjustable closing force

Applications:

- Can be used for DIN left and DIN right-handed doors
- For single action doors up to 1400 mm wide
- Suitable for fire and smoke protection doors

Compatible products:

- Sliding arm: [G195](#)
- Scissors arm: [L190](#), [L199](#), [L191](#), [L197](#)

- Mounting plate: [A120](#), [A124](#), [A123](#), [A154](#)

TOOTENIMETUS	SOODUS	HIND
Õ"Õ²ÕµÑ€Ð½Ð¾Ð¹ Ð´Ð¾Ð²Ð¾Ð´Ñ±Ð, Ð° Ñ• Ð½Ð¾Ð²Ð¶Ð¶Ð½Ð, Ñ±Ð½Ð¾Ð¹ Ñ€Ñ¶Ñ±Ð°Ð¹ ASSA ABLOY DC300 (EN 3-6, Ñ•ÐµÑ€ÐµÐ±Ñ€, Ñ•Ñ, Ñ«Ð¹)		88.48 €
Õ"Õ²ÕµÑ€Ð½Ð¾Ð¹ Ð´Ð¾Ð²Ð¾Ð´Ñ±Ð, Ð° Ñ• Ð½Ð¾Ð²Ð¶Ð¶Ð½Ð, Ñ±Ð½Ð¾Ð¹ Ñ€Ñ¶Ñ±Ð°Ð¹ ASSA ABLOY DC300 (EN 3-6, Ð±ÐµÐ»Ð»Ñ«Ð¹)		88.48 €
Õ"Õ²ÕµÑ€Ð½Ð¾Ð¹ Ð´Ð¾Ð²Ð¾Ð´Ñ±Ð, Ð° Ñ• Ð½Ð¾Ð²Ð¶Ð¶Ð½Ð, Ñ±Ð½Ð¾Ð¹ Ñ€Ñ¶Ñ±Ð°Ð¹ ASSA ABLOY DC300 (EN 3-6, Ñ±Ñ'Ñ€Ð½Ñ«Ð¹)		88.48 €
Õ"Õ²ÕµÑ€Ð½Ð¾Ð¹ Ð´Ð¾Ð²Ð¾Ð´Ñ±Ð, Ð° Ñ• Ð½Ð¾Ð²Ð¶Ð¶Ð½Ð, Ñ±Ð½Ð¾Ð¹ Ñ€Ñ¶Ñ±Ð°Ð¹ ASSA ABLOY DC300 (EN 3-6, Ð°Ð¾Ñ€Ñ€, Ñ±Ð½ÐµÐ²Ñ«Ð¹)		88.48 €
Õ"Õ²ÕµÑ€Ð½Ð¾Ð¹ Ð´Ð¾Ð²Ð¾Ð´Ñ±Ð, Ð° Ñ• Ð½Ð¾Ð²Ð¶Ð¶Ð½Ð, Ñ±Ð½Ð¾Ð¹ Ñ€Ñ¶Ñ±Ð°Ð¹ ASSA ABLOY DC310 (EN 3-6, Ð·Ð°Ð²ÐµÐ´Ð»Ð, ÑµÐ»Ñ€ Ð·Ð°Ð»Ð»Ð Ð·Ð°Ð»Ð»Ñ«Ñ, Ð, Ñ•, Ñ•ÐµÑ€ÐµÐ±Ñ€, Ñ•Ñ, Ñ«Ð¹)		116.04 €



