


ASSA ABLOY DC340



Tootekirjeldus

ASSA ABLOY Door Closers are ideal for almost any structural conditions, whether they are used in public, residential or commercial buildings or on light or heavy doors.

Specification:

- Rack and pinion closer with link arm L190
- For single action doors up to 1400 mm wide
- Can be used with integrated concealed mounting plate, suitable for fire and smoke protection doors
- Can be used for left and right-handed doors
- Link arm height-adjustable up to 14mm
- Closing speed, latching speed and backcheck adjustable via front facing regulating valves
- Thermodynamic valves for consistent performance
- Variable adjustable closing force
- Opening angle up to 180°
- Effective backcheck and latching speed range adjustable
- Large range of applications

Compatible products:

- Sliding arm: [G195](#), [G193](#)
- Scissor arm: [L190](#), [L191](#), [L199](#)
- Mounting plate: [A126](#), [A107](#), [A130](#) (G193 ja G195 jaoks), [A104](#) (G193 jaoks)
- Stopper: [A153](#)

- Fixative: [A152](#)

TOOTENIMETUS	SOODUS	HIND
Đ"Đ²ĐµÑ€Đ½Đ¾Đ¹ Đ´Đ¾Đ²Đ¾Đ´Ñ‡Đ,Đ° Ñ• Đ½Đ¾Đ¶Đ½Đ,Ñ‡Đ½Đ¾Đ¹ Ñ€ÑƒÑ‡Đ°Đ¾Đ¹ ASSA ABLOY DC240, Đ¼Đ¾Đ¶Đ½Đ¾ Đ,Ñ•Đ¿Đ¾Đ»Ñ€Đ·Đ¾Đ²Đ°Ñ,Ñ€ Ñ•Đ¾Â Ñ•Đ°Đ¾Đ»Ñ€Đ·Ñ•Ñ%ĐµĐ¹ Ñ,Ñ•Đ³Đ¾Đ¹ (EN 2-6/1-4, Ñ•ĐµÑ€ĐµĐ±Ñ€Đ,Ñ•Ñ,Ñ‡Đ¹)		122.57 €
Đ"Đ²ĐµÑ€Đ½Đ¾Đ¹ Đ´Đ¾Đ²Đ¾Đ´Ñ‡Đ,Đ° Ñ• Đ½Đ¾Đ¶Đ½Đ,Ñ‡Đ½Đ¾Đ¹ Ñ€ÑƒÑ‡Ñ‡Đ°Đ¾Đ¹ ASSA ABLOY DC240, Đ¼Đ¾Đ¶Đ½Đ¾ Đ,Ñ•Đ¿Đ¾Đ»Ñ€Đ·Đ¾Đ²Đ°Ñ,Ñ€ Ñ•Đ¾Â Ñ•Đ°Đ¾Đ»Ñ€Đ·Ñ•Ñ%ĐµĐ¹ Ñ,Ñ•Đ³Đ¾Đ¹ (EN 2-6/1-4, Đ±ĐµĐ»Ñ‡Đ¹)		130.88 €
Đ"Đ²ĐµÑ€Đ½Đ¾Đ¹ Đ´Đ¾Đ²Đ¾Đ´Ñ‡Đ,Đ° Ñ• Đ½Đ¾Đ¶Đ½Đ,Ñ‡Đ½Đ¾Đ¹ Ñ€ÑƒÑ‡Ñ‡Đ°Đ¾Đ¹ ASSA ABLOY DC240, Đ¼Đ¾Đ¶Đ½Đ¾ Đ,Ñ•Đ¿Đ¾Đ»Ñ€Đ·Đ¾Đ²Đ°Ñ,Ñ€ Ñ•Đ¾Â Ñ•Đ°Đ¾Đ»Ñ€Đ·Ñ•Ñ%ĐµĐ¹ Ñ,Ñ•Đ³Đ¾Đ¹ (EN 2-6/1-4, Ñ‡Ñ‘Ñ€Đ½Ñ‡Đ¹)		130.88 €
Đ"Đ²ĐµÑ€Đ½Đ¾Đ¹ Đ´Đ¾Đ²Đ¾Đ´Ñ‡Đ,Đ° Ñ• Đ½Đ¾Đ¶Đ½Đ,Ñ‡Đ½Đ¾Đ¹ Ñ€ÑƒÑ‡Ñ‡Đ°Đ¾Đ¹ ASSA ABLOY DC240, Đ¼Đ¾Đ¶Đ½Đ¾ Đ,Ñ•Đ¿Đ¾Đ»Ñ€Đ·Đ¾Đ²Đ°Ñ,Ñ€ Ñ•Đ¾Â Ñ•Đ°Đ¾Đ»Ñ€Đ·Ñ•Ñ%ĐµĐ¹ Ñ,Ñ•Đ³Đ¾Đ¹ (EN 2-6/1-4, Đ°Đ¾Ñ€Đ,Ñ‡Đ½ĐµĐ²Ñ‡Đ¹)		130.88 €
Đ"Đ²ĐµÑ€Đ½Đ¾Đ¹ Đ´Đ¾Đ²Đ¾Đ´Ñ‡Đ,Đ° Ñ• Đ½Đ¾Đ¶Đ½Đ,Ñ‡Đ½Đ¾Đ¹ Ñ€ÑƒÑ‡Ñ‡Đ°Đ¾Đ¹ ASSA ABLOY DC240, Đ¼Đ¾Đ¶Đ½Đ¾ Đ,Ñ•Đ¿Đ¾Đ»Ñ€Đ·Đ¾Đ²Đ°Ñ,Ñ€ Ñ•Đ¾Â Ñ•Đ°Đ¾Đ»Ñ€Đ·Ñ•Ñ%ĐµĐ¹ Ñ,Ñ•Đ³Đ¾Đ¹ (EN 2-6/1-4, Ñ•ĐµÑ€ĐµĐ±Ñ€Đ,Ñ•Ñ,Ñ‡Đ¹, OP-Ñ•Đ¾ Ñ•Ñ,Đ¾Ñ€Đ¾Đ½Ñ‡ Đ¾Đ±Ñ€Đ°Ñ,Đ½ÑƒÑ‡ Đ¿ĐµÑ,Đ»Ñ•Đ¼)		130.16 €
Đ"Đ²ĐµÑ€Đ½Đ¾Đ¹ Đ´Đ¾Đ²Đ¾Đ´Ñ‡Đ,Đ° Ñ• Đ½Đ¾Đ¶Đ½Đ,Ñ‡Đ½Đ¾Đ¹ Ñ€ÑƒÑ‡Ñ‡Đ°Đ¾Đ¹ ASSA ABLOY DC240, Đ¼Đ¾Đ¶Đ½Đ¾ Đ,Ñ•Đ¿Đ¾Đ»Ñ€Đ·Đ¾Đ²Đ°Ñ,Ñ€ Ñ•Đ¾Â Ñ•Đ°Đ¾Đ»Ñ€Đ·Ñ•Ñ%ĐµĐ¹ Ñ,Ñ•Đ³Đ¾Đ¹ (EN 2-6/1-4, Ñ€ĐµĐ³ÑƒĐ»Đ,Ñ€ÑƒĐµĐ¼Đ°Ñ• Ñ•Đ,Đ»Đ° Đ·Đ°Đ°Ñ€Ñ‡Đ°Đ½Đ,Ñ•, Ñ•ĐµÑ€Ñ‡Đ¹)		145.22 €

